


EMSA



COMMERCIAL SOLUTIONS



Products

TOILETS

BASINS

FAUCETS

COMMERCIAL SINKS

URINALS

ACCESSORIES

HEALTH CARE

CATEGORY AND FUNCTION ICONS

CATEGORY ICONS



Medical



Education



Residential



Hospitality



Commercial



Special Needs

FUNCTION ICONS



Water Saving
- WELS
- BEAM PLUS



Urea Seat Cover



WSD Approved



BFA2008
- Basins
- Faucets
- Showers
- Grab Rails



Soft-close Seat Cover



CE Approved



ENBS Compliant



AC+DC Powered
Sensor Faucet
- IP 68



WRAS Approved



HTM64 Solutions



Faucet with
Temperature Control

Project References List



The High Court

Client: Hong Kong Government

Location: Admiralty, Hong Kong

Renovation of Hong Kong Polytechnic University

Client: Hong Kong Polytechnic University

Location: Hung Hom, Hong Kong



Renovation of Hong Kong Sanatorium and Hospital

Client: Hong Kong Sanatorium and Hospital

Location: Happy Valley, Hong Kong



Project References List



Museum of Art

Client: Hong Kong Government

Location: Tsim Sha Tsui, Hong Kong

Passenger Clearance Building of Hong Kong Zhuhai Macao Bridge

Client: Hong Kong Government






Location: Hong Kong



Others

Client	Project	Product type	Location
Ying Wa Primary School	Ying Wa Primary School swimming pool	Education	Shamshuipo, Hong Kong
Tung Wah Group of Hospitals	Tung Wah Group of Hospitals Endoscopy Centre	Medical	North Point, Hong Kong
Heep Hong Society	Heep Hong Society Catherine Lo Centre	Commercial	Aberdeen, Hong Kong
The Hong Kong Chinese Christian Churches Union	Hong Kong Chinese Christian Churches Union Cemetery	Commercial	Sandy Bay, Hong Kong
Mapletree	Mapletree Bay Point	Commercial	Kwun Tong, Hong Kong
Safety Godown	Lu Plaza	Commercial	Kwun Tong, Hong Kong
Gold Peak Group	Gold Peak Building	Commercial	Kwai Chung, Hong Kong
MTR	Paradise mall	Commercial	Heng Fa Chuen, Hong Kong
Watami (China) Co., Ltd.	WATEI restaurant	Commercial	Aberdeen, Hong Kong
Private developer	Matheson Centre	Commercial	Wan Chai, Hong Kong

Test Compliance Details

Product	Item Code	Parts	Tests & Details
Toilet	WC-3131-G00 	General Performance	EN997 European Standard specification for construction and performance requirements
	WC-3123-G00 	Vitreous china WC Seat Cover Hinge	BS3402 Specification for quality of vitreous china sanitary appliances BS10088 The material standard for stainless steel sheet, plate and strip for general purposes
Basin	BA-1342-G00 	Vitreous china	BS3402 Specification for quality of vitreous china sanitary appliances
	BA-7360-G01 		
Urinal	WA-SP-21 	Water efficiency	WELS Grade 1 WSD highest grading efficiency
	WA-1028-G00 	Vitreous china Performance	BS5520 Specification for vitreous china bowl urinals (rimless type) BSEN13407 Specification for construction and performance requirements for wall-hung urinals

Test Compliance Details

Product	Item Code	Parts	Tests & Details
Faucet	MX-30203-G00 	Coating	EN248 General specification for electrodeposited coatings of Ni-Cr
	MX-4627-G00 	Water efficiency	WELS Grade 1 WSD highest grading efficiency
Shower Head	MX-SH-184 	Water efficiency	WELS Grade 1 WSD highest grading efficiency



Toilets

WC-SP-133

i-flushtech

Product Information

Type: Close coupled toilet sensor flush valve with manual override

Item code: WC-SP-133

Material: ABS

Dimension: Diameter 49 mm

Additional Details

Power: DC

Available colour: Chrome

Sensor distance: 100 mm


Flush: Wave-on sensor and manual override

Guide specification:

Wave-on sensor flush valve for close coupled toilet with manual override, powered by DC suitable for WC-2360 / WC-2262 / WC-2384 WC-2284. Float valve to be purchased separately.



Line drawing



ECHO

Product Information

Type: Close coupled toilet

Item code: WC-2162-G00

Material: Vitreous china

Dimension: 710 x 375 x 795 mm

Additional Details

Trap: P-trap

Rough in: 180 mm

Flush: Dual flush

Flushing volume: 3L for half flush; 6L for full flush

Button / Lever: Button


Toilet seat: Soft-close with quick release function for easy clean

Guide specification:

P-trap vitreous china close coupled toilet, with dual flush and soft-close seat and cover.



Line drawing



VICTORIA

Product Information

Type: Close coupled toilet

Item code: WC-2333-G00

Material: Vitreous china

Dimension: 660 x 400 x 800 mm

Additional Details

Trap: P-trap

Rough in: 180 mm

Flush: Dual flush

Flushing volume: 3L for half flush; 6L for full flush

Button / Lever: Button


Toilet seat: Soft-close with quick release function for easy clean

Guide specification:

P-trap vitreous china close coupled toilet with dual flush and soft-close seat and cover.



Line drawing



SIGNET

Product Information

Type: Wall hung toilet

Item code: WC-3131-G00

Material: Vitreous china

Dimension: 550 x 370 x 350 mm

Additional Details

Trap: P-trap

Rough in: 180 mm

Toilet seat: Soft-close with quick release function for easy clean





Recommended cisterns: WC-SP-67,69,83,99

Guide specification:

P-trap vitreous china wall hung toilet with soft-close seat and cover.



Line drawing



RIVE

Product Information

Type: Wall hung toilet

Item code: WC-3133-G00

Material: Vitreous china

Dimension: 550 x 350 x 340 mm

Additional Details

Trap: P-trap

Rough in: 180 mm

Toilet seat: Soft-close with quick release function for easy clean


Recommended cisterns: WC-SP-67,69,83,99

Guide specification:

P-trap vitreous china wall hung toilet with soft-close seat and cover.



Line drawing



VERO

Product Information

Type: Wall hung toilet

Item code: WC-3142-G00

Material: Vitreous china

Dimension: 510 x 370 x 370 mm

Additional Details

Trap: P-trap

Rough in: 180 mm

Toilet seat: Soft-close with quick release function for easy clean


Recommended cisterns: WC-SP-67,69,83;

Guide specification:

P-trap vitreous china rimless wall hung toilet with soft-close seat and cover.



Line drawing



REPOSE

Product Information

Type: Floor mounted toilet

Item code: WC-3108-G00

Material: Vitreous china

Dimension: 545 x 350 x 365 mm

Additional Details

Trap: P-trap

Rough in: 180 mm

Toilet seat: Soft-close with quick release function for easy clean


Recommended cisterns: WC-SP-67,69,83,99

Guide specification:

P-trap vitreous china floor mounted toilet with soft-close seat and cover.



Line drawing



NOVA

Product Information

Type: Floor mounted toilet

Item code: WC-3123-G00

Material: Vitreous china

Dimension: 540 x 360 x 405 mm

Additional Details

Trap: P-trap

Rough in: 180 mm

Toilet seat: Soft-close with quick release function for easy clean


Recommended cisterns: WC-SP-67,69,83,99

Guide specification:

P-trap vitreous china floor mounted toilet with soft-close seat and cover.



Line drawing



AVA

Product Information

Type: Floor mounted toilet

Item code: WC-3139-G00

Material: Vitreous china

Dimension: 560 x 365 x 410 mm

Additional Details

Trap: P-trap

Rough in: 180 mm

Toilet seat: Soft-close with quick release function for easy clean


Recommended cisterns: WC-SP-67,69,83,99

Guide specification:

P-trap vitreous china floor mounted toilet with soft-close seat and cover.



Line drawing



WC-5002-G00

Product Information

Type: Squatting pan

Item code: WC-5002-G00

Material: Vitreous china

Dimension: 550 x 435 x 240 mm

Additional Details


Trap: S-trap

Guide specification:

White vitreous china drop-in squatting pan toilet with integral trapway.



Line drawing



WC-SP-63

Product Information

Type: Toilet flush actuator

Item code: WC-SP-63

Material: ABS

Dimension: 245 x 165 x 9 mm

Additional Details

For concealed cistern: WC-SP-67 & 69

Available colours:

White: WC-SP-63-W


Chrome plated: WC-SP-63-CH

Spray black: WC-SP-63-SB


Spray satin: WC-SP-63-SS

Guide specification:

ABS duct concealed dual flush actuator for concealed cistern WC-SP-67 & 69.



Line drawing



WC-SP-64

Product Information

Type: Toilet flush actuator

Item code: WC-SP-64

Material: ABS

Dimension: 245 x 165 x 9 mm

Additional Details

For concealed cistern: WC-SP-67 & 69

Available colours:

White: WC-SP-64-W


Chrome plated: WC-SP-64-CH

Spray black: WC-SP-64-SB


Spray satin: WC-SP-64-SS

Guide specification:

ABS duct concealed dual flush actuator for concealed cistern WC-SP-67 & 69.



Line drawing



WC-SP-102

Product Information

Type: Toilet flush actuator

Item code: WC-SP-102

Material: ABS

Dimension: 236 x 152 x 8 mm

Additional Details

For concealed cistern: WC-SP-99

Available colours:

White: WC-SP-102-W


Chrome plated: WC-SP-102-CH

Guide specification:

ABS duct concealed dual flush actuator for concealed cistern WC-SP-99.



Line drawing



WC-SP-103

Product Information

Type: Toilet flush actuator

Item code: WC-SP-103

Material: ABS

Dimension: 236 x 152 x 8 mm

Additional Details

For concealed cistern: WC-SP-99

Available colours:

White: WC-SP-103-W


Chrome plated: WC-SP-103-CH

Guide specification:

ABS duct concealed dual flush actuator for concealed cistern WC-SP-99.



Line drawing



WC-SP-84

Product Information

Type: Toilet sensor flush with manual override

Item code: WC-SP-84

Material: ABS

Dimension: Diameter 50 mm

Additional Details

Power: AC

Available colour: Chrome

Sensor distance: 50 mm

For concealed cistern: WC-SP-83

Flush: Front push single flush


Type: Pneumatic sensor with override

Guide specification:

Chrome finish single flush sensor eye with manual override for toilets, suitable for cistern WC-SP-83.



Line drawing



WC-SP-84-2

Product Information

Type: Toilet sensor flush with manual override for full flush + sensor button for half flush

Item code: WC-SP-84-2 (WC sensor)
WC-SP-115 (Actuator panel)

Material: ABS

Dimension: 150 x 100 x 5 mm

Additional Details

Power: AC

Available colour: Chrome

Sensor distance: 50 mm

Optional item: Glass face plate / Stainless steel face plate


For concealed cistern: WC-SP-83

Guide specification:

Pneumatic sensor dual flush with override.
Chrome finish dual flush sensor eye actuator panel.



Line drawing



WC-SP-106

Product Information

Type: Toilet sensor dual flush with manual override

Item code: WC-SP-106

Material: Glass

Dimension: 236 x 154 x 88 mm

Additional Details

Power: AC

Available colour: Black

Sensor distance: 100 mm

For concealed cistern: WC-SP-99

Flush: Front push dual flush


Type: Pneumatic sensor with manual override

Guide specification:

Black glass dual flush pneumatic WC sensor flush actuator with manual full flush button for toilets, suitable for cistern WC-SP-99.



Line drawing



WC-SP-67

Product Information

Type: Toilet concealed cistern

Item code: WC-SP-67

Material: Plastic

Dimension: 400 x 139 x (700 - 900) mm

Additional Details

Flush: Front push dual flush

Flushing volume: 3L - 5L for half flush;
4.5 - 7L for full flush


Recommended actuators: WC-SP-63,64,65,66

Guide specification:

White plastic concealed water saving cistern for dual flush 3/7L actuator.



Line drawing



WC-SP-83

Product Information

Type: Toilet concealed cistern

Item code: WC-SP-83

Material: Plastic

Dimension: 335 x 139 x 665 mm

Additional Details

Flush: Pneumatic sensor dual flush


Flushing volume: 3L for half flush; 6L for full flush

Guide specification:

White plastic water saving cistern for dual flush pneumatic sensor.



Line drawing



WC-SP-99

Product Information

Type: Toilet concealed cistern

Item code: WC-SP-99

Material: Plastic

Dimension: 410 x 116 x 825 mm

Additional Details

Flush: Front push dual flush

Flushing volume: 3L for half flush; 6L for full flush


Recommended actuators: WC-SP-100,101,102,103,104,105,106,107,108,109,137


Guide specification:

White plastic concealed water saving cistern for dual flush 3/6L actuators.



Line drawing





Basins

FLEET

Product Information

Type: Countertop basin

Item code: BA-2174-G01

Material: Vitreous china

Dimension: 500 x 470 x 145 mm

Additional Details

Tap hole: 1


With overflow: Yes

Guide specification:

Vitreous china countertop basin with single tap hole and overflow.



Line drawing



QUADRO

Product Information

Type: Countertop basin

Item code: BA-2411-G01

Material: Vitreous china

Dimension: 462 x 462 x 155 mm

Additional Details

Tap hole: 1


With overflow: Yes

Guide specification:

Vitreous china countertop basin with single tap hole and overflow.



Line drawing



CHIC

Product Information

Type: Under counter basin

Item code: BA-1143-G00

Material: Vitreous china

Dimension: ϕ 340 x 185 mm (Overall)
 ϕ 300 x 185 mm (Bowl)

Additional Details


With overflow: Yes

Guide specification:

Vitreous china under counter basin with overflow.



Line drawing



OVO

Product Information

Type: Under counter basin

Item code: BA-1144-G00

Material: Vitreous china

Dimension: $\phi 380 \times 165$ mm (Overall)
 $\phi 335 \times 165$ mm (Bowl)

Additional Details



With overflow: Yes

Guide specification:

Vitreous china under counter basin with overflow.



Line drawing



ADELE

Product Information

Type: Under counter basin

Item code: BA-1341-G00

Material: Vitreous china

Dimension: 390 x 330 x 190 mm (Overall)
345 x 290 x 190 mm (Bowl)

Additional Details


With overflow: Yes

Guide specification:

Vitreous china under counter basin with overflow.



Line drawing



AMELIE

Product Information

Type: Under counter basin

Item code: BA-1342-G00

Material: Vitreous china

Dimension: 470 x 375 x 205 mm (Overall)
410 x 315 x 205 mm (Bowl)

Additional Details


With overflow: Yes

Guide specification:

Vitreous china under counter basin with overflow.



Line drawing



KARINA

Product Information

Type: Under counter basin

Item code: BA-1343-G00

Material: Vitreous china

Dimension: 500 x 400 x 185 mm (Overall)
450 x 370 x 185 mm (Bowl)

Additional Details


With overflow: Yes

Guide specification:

Vitreous china under counter basin with overflow.



Line drawing



CORAL

Product Information

Type: Semi recessed basin

Item code: BA-4007-G01

Material: Vitreous china

Dimension: 500 x 430 x 205 mm

Additional Details

Tap hole: 1


With overflow: Yes

Guide specification:

Vitreous china semi recessed basin with single tap hole and overflow.



Line drawing



AQUAMARINE

Product Information

Type: Semi recessed basin

Item code: BA-4211-G01

Material: Vitreous china

Dimension: 500 x 440 x 160 mm

Additional Details

Tap hole: 1




With overflow: Yes

Guide specification:

Vitreous china semi recessed basin with single tap hole and overflow.



Line drawing



TOPAZ

Product Information

Type: Semi recessed basin

Item code: BA-4416-G01

Material: Vitreous china

Dimension: 460 x 460 x 175 mm

Additional Details

Tap hole: 1


With overflow: Yes

Guide specification:

Vitreous china semi recessed basin with single tap hole and overflow.



Line drawing



The inner depth is

125-130mm

ELSA

Product Information

Type: Wall mounted basin

Item code: BA-3346-G01

Material: Vitreous china

Dimension: 500 x 400 x 190 mm

Additional Details

Tap hole: 1


With overflow: Yes

Guide specification:

Vitreous china wall mounted basin with single tap hole and overflow.



Line drawing



CUBIC

Product Information

Type: Wall mounted basin

Item code: BA-7266-G01

Material: Vitreous china

Dimension: 440 x 330 x 150 mm

Additional Details

Tap hole: 1


With overflow: Optional, standard with overflow

Guide specification:

Vitreous china wall mounted basin with single tap hole and overflow, suitable for disabled washroom, complies with BFA2008.



Line drawing



NIMBUS

Product Information

Type: Wall mounted basin

Item code: BA-7355-G01

Material: Vitreous china

Dimension: 420 x 280 x 125 mm

Additional Details

Tap hole: 1


With overflow: Optional, standard without overflow

Guide specification:

Vitreous china wall mounted basin with single tap hole.



Line drawing



OPUS

Product Information

Type: Wall mounted basin

Item code: BA-7360-G01

Material: Vitreous china

Dimension: 395 x 305 x 135 mm

Additional Details

Tap hole: 1


With overflow: Yes

Guide specification:

Vitreous china wall mounted basin with single tap hole and overflow, suitable for disabled washroom, complies with BFA2008.



Line drawing



MONS

Product Information

Type: Wall mounted basin

Item code: BA-7418-G01

Material: Vitreous china

Dimension: 460 x 460 x 150 mm

Additional Details

Tap hole: 1


With overflow: Yes

Guide specification:

Vitreous china wall mounted basin with single tap hole and overflow.



Line drawing



DEMI

Product Information

Type: Wall mounted basin

Item code: BA-7933-G01

Material: Vitreous china

Dimension: 600 x 440 x 165 mm

Additional Details

Tap hole: Optional, standard with tap hole



Overflow: Optional, standard with overflow

Guide specification:

Vitreous china wall mounted basin, complies with HTM 64.



Line drawing



OPAL

Product Information

Type: Drop-in basin

Item code: BA-6304-G01

Material: Vitreous china

Dimension: 500 x 420 x 180 mm

Additional Details

Tap hole: 1


With overflow: Yes

Guide specification:

Vitreous china drop-in basin with single tap hole and overflow.



Line drawing



AERO

Product Information

Type: Half pedestal basin

Item code: BA-3349-G31

Material: Vitreous china

Dimension: 550 x 445 x 400 mm

Additional Details

Tap hole: 1


With overflow: Yes

Guide specification:

Vitreous china half pedestal basin with single tap hole and overflow.



Line drawing



VERSO

Product Information

Type: Half pedestal basin

Item code: BA-3352-G31

Material: Vitreous china

Dimension: 600 x 440 x 400 mm

Additional Details

Tap hole: 1


With overflow: Yes

Guide specification:

Vitreous china half pedestal basin with single tap hole and overflow.



Line drawing



MX-3181-G01

Product Information

Type: Basin Mixer

Item code: MX-3181-G01

Material: Brass

Dimension: 50 x 128 x 149 mm

Additional Details

Working water pressure: 0.1 - 0.5 mpa

Cartridge: Sedal 35 mm

Aerator: Neoperl

Hose: Flexible hose

NSS: 200 Hours


Others: Sedal tails F3/8", mounting kit

Guide specification:

Deck mounted single lever basin mixer and 5L flow restrictor, complies with WELS Grade 1.



Line drawing



MX-8003-G01

Product Information

Type: Basin mixer

Item code: MX-8003-G01

Material: Brass

Dimension: 51 x 139 x 154 mm

Additional Details

Working water pressure: 0.1 - 0.5 mpa

Standard flow rate: 6.7 - 15.39L / min

Optional: Can add 5L flow restrictor

Cartridge: Sedal 35 mm

Aerator: Neoperl

Hose: Flexible hose

NSS: 200 Hours


Finish: Chrome plated


Guide specification:

Deck mounted single lever basin mixer
complies with WELS Grade 1.



Line drawing





MX-30203-G00

Product Information

Type: Basin tap

Item code: MX-30203-G00

Material: Brass

Dimension: 40 x 154 x 214 mm

Additional Details

Working water pressure: 0.1 - 0.5 mpa


Others: With medical lever handle

Guide specification:

Deck mounted single long lever basin mixer suitable for disabled washroom.



Line drawing



MX-25516-G00

Product Information

Type: Sink mixer

Item code: MX-25516-G00

Material: Brass

Dimension: 55 x 406 x 218 mm

Additional Details

Working water pressure: 0.1 - 0.5 mpa

Cartridge: Sedal 40 mm


Aerator: Neoperl

Guide specification:

Chrome plated brass deck mounted swivel goose neck sink mixer with pull-out spray mode spout and single side lever for water flow.



Line drawing



MX-25406-G00

Product Information

Type: Sink Mixer

Item code: MX-25406-G00

Material: Brass

Dimension: 55 x 315 x 184 mm

Additional Details

Working water pressure: 0.1 - 0.5 mpa

Cartridge: Sedal 35 mm

Aerator: Neoperl


Hose: WRAS flexible hose 500 mm

Guide specification:

Chrome plated brass deck mounted swivel goose neck sink mixer with single side lever for water flow.



Line drawing



MX-4635-G00

Product Information

Type: Sensor mixer

Item code: MX-4635-G00

Material: Brass

Dimension: 50 x 239 x 146 mm (Mixer)
110 x 52 x 34 mm (Transformer)

Additional Details

Working water pressure: 0.05 - 0.5 mpa

Sensing distance: 19 - 25 cm

Water running time: 60 +/- 5 seconds

Others: With temperature control

Standard flow rate: 3.8 - 4.2L / min


Optional: Can add 5L flow restrictor

Guide specification:

Deck mounted sensor mixer (with temperature control) with IP68 transformer complies with WELS Grade 1.



Line drawing



MX-4636-G00

Product Information

Type: Sensor mixer

Item code: MX-4636-G00

Material: Brass

Dimension: 50 x 180 x 114 mm (Mixer)
110 x 52 x 34 mm (Transformer)

Additional Details

Working water pressure: 0.05 - 0.5 mpa

Sensing distance: 27 - 33 cm

Water running time: 60 +/- 5 seconds

Others: With temperature control

Standard flow rate: 3.8 - 4.2L / min


Optional: Can add 5L flow restrictor

Guide specification:

Deck mounted sensor mixer (with temperature control) with IP68 transformer complies with WELS Grade 1.



Line drawing



MX-4638-G00

Product Information

Type: Sensor mixer

Item code: MX-4638-G00

Material: Brass

Dimension: 50 x 140 x 175 mm (Mixer)
110 x 52 x 34 mm (Transformer)

Additional Details

Working water pressure: 0.05 - 0.5 mpa

Sensing distance: 15 - 30 cm

Water running time: 60 +/-5 seconds

Standard flow rate: 3.8 - 4.2L / min


Optional: Can add 5L flow restrictor

Guide specification:

Deck mounted sensor mixer (with temperature control) with IP68 transformer complies with WELS Grade 1.



Line drawing



MX-4620-G00

Product Information

Type: Sensor tap

Item code: MX-4620-G00

Material: Brass

Dimension: $\phi 60 \times 230$ mm (Tap)
110 x 52 x 34 mm (Transformer)



Additional Details

Working water pressure: 0.05 - 0.5 mpa

Sensing distance: 15 - 30 cm

Water running time: 30 +/- 5 seconds

Standard flow rate: 3.8 - 4.2L / min


Optional: Can add 2L flow restrictor

Guide specification:

Wall mounted sensor tap (cold water only)
with IP68 transformer complies with WELS
Grade 1.



Line drawing



MX-4622-G00

Product Information

Type: Sensor tap

Item code: MX-4622-G00

Material: Brass

Dimension: 58 x 172 x 128 mm (Tap)
110 x 52 x 34 mm (Transformer)

Additional Details

Working water pressure: 0.05 - 0.5 mpa

Sensing distance: 13 - 20 cm

Water running time: 60 +/- 5 seconds

Standard flow rate: 3.8 - 4.2L / min


Optional: Can add 2L flow restrictor

Guide specification:

Deck mounted sensor tap (cold water only)
with IP68 transformer complies to WELS
Grade 1.



Line drawing



MX-4626-G00

Product Information

Type: Sensor tap

Item code: MX-4626-G00

Material: Brass

Dimension: 70 x 62 x 220 mm (Tap)
110 x 52 x 34 mm (Transformer)

Additional Details

Working water pressure: 0.05 - 0.5 mpa

Sensing distance: 10 - 30 cm

Water running time: 60 +/- 5 seconds


Standard flow rate: 4.8 - 10.8L / min

Guide specification:

Wall mounted sensor tap (cold water only)
with IP68 transformer complies with WELS
Grade 1.



Line drawing



MX-4627-G00

Product Information

Type: Sensor tap

Item code: MX-4627-G00

Material: Brass

Dimension: 65 x 162 x 158 mm (Tap)
110 x 52 x 34 mm (Transformer)

Additional Details

Working water pressure: 0.05 - 0.5 mpa

Sensing distance: 24 - 30 cm

Water running time: 60 +/-5 seconds

Standard flow rate: 3.8 - 5.7L / min


Optional: Can add 2L flow restrictor

Guide specification:

Deck mounted sensor tap (cold water only)
with IP68 transformer complies with WELS
Grade 1.



Line drawing



MX-4631-G00

Product Information

Type: Sensor tap

Item code: MX-4631-G00

Material: Brass

Dimension: 50 x 140 x 185 mm (Tap)
110 x 52 x 34 mm (Transformer)

Additional Details

Working water pressure: 0.05 - 0.5 mpa

Sensing distance: 23 - 29 cm

Water running time: 60 +/- 5 seconds

Standard flow rate: 3.8 - 4.2L / min


Optional: Can add 2L flow restrictor

Guide specification:

Deck mounted sensor tap (cold water only)
with IP68 transformer complies with WELS
Grade 1.



Line drawing



MX-4640-G00

Product Information

Type: Sensor tap

Item code: MX-4640-G00

Material: Brass

Dimension: 50 x 205 x 116 mm (Tap)
110 x 52 x 34 mm (Transformer)

Additional Details

Working water pressure: 0.05 - 8 mpa

Sensing distance: 29 - 35 cm

Water running time: 60 +/- 5 seconds

Standard flow rate: 3.8 - 4.2L / min


Optional: Can add 2L flow restrictor


Guide specification:

Deck mounted sensor tap (cold water only)
with IP68 transformer complies with WELS
Grade 1.



Line drawing





Commercial Sinks

KS-2104-G02

Product Information

Type: Kitchen sink with left / right drainer

Item code: KS-2104-G02

Material: Stainless steel 304

Dimension: 780 x 500 x 190 mm (Overall)
340 x 400 x 190 mm (1st Bowl)
170 x 300 x 35 mm (2nd Bowl)

Additional Details

Strainer: Stainless steel 304

Overflow hose: PE

Thickness: 0.8 mm

Overflow: 1


Finish: Satin

Guide specification:

Satin stainless steel drop-in double kitchen sink with drainer. Waste and overflow included.



Line drawing



KS-2106-G01

Product Information

Type: Kitchen sink with left / right drainer

Item code: KS-2106-G01

Material: Stainless steel 304

Dimension: 580 x 500 x 190 mm (Overall)
340 x 400 x 190 mm (Bowl)

Additional Details

Strainer: Stainless steel 304

Overflow hose: PE

Thickness: 0.8 mm

Overflow: 1


Finish: Satin

Guide specification:

Satin stainless steel drop-in kitchen sink with drainer. Waste and overflow included.



Line drawing



KS-2120-G01

Product Information

Type: Kitchen sink

Item code: KS-2120-G01

Material: Stainless steel 304

Dimension: 838 x 560 x 153 mm (Overall)
355 x 405 x 153 mm (Bowl)

Additional Details

Strainer: Stainless steel 304

Overflow hose: PE

Thickness: 0.8 mm


Finish: Satin

Guide specification:

Satin stainless steel drop-in kitchen sink with drainer. Waste and overflow included.



Line drawing



KS-2121-G03

Product Information

Type: Kitchen sink

Item code: KS-2121-G03

Material: Stainless steel 304

Dimension: 1000 x 500 x 153 mm (Overall)
405 x 355 x 153 mm (Bowl)



Additional Details

Strainer: Stainless steel 304

Overflow hose: PE


Thickness: 0.8 mm

Finish: Satin

Guide specification:

Satin stainless steel drop-in kitchen sink with drainer. Waste and overflow included.

Line drawing



KS-2125-G01

Product Information

Type: Kitchen sink with left / right drainer

Item code: KS-2125-G01

Material: Stainless steel 304

Dimension: 650 x 500 x 180 mm (Overall)
400 x 400 x 180 mm (Bowl)

Additional Details

Strainer: Stainless steel 304

Overflow hose: PE

Thickness: 0.8 mm

Overflow: 1


Finish: Satin

Guide specification:

Satin stainless steel drop-in kitchen sink with drainer. Waste and overflow included.



Line drawing



KS-2126-G01

Product Information

Type: Under counter kitchen sink

Item code: KS-2126-G01

Material: Stainless steel 304

Dimension: 440 x 380 x 200 mm (Overall)
400 x 340 x 200 mm (Bowl)

Additional Details

Strainer: Stainless steel 304

Overflow hose: PE

Thickness: 1.2 mm

Overflow: 1


Finish: Satin

Guide specification:

Satin stainless steel sound insulated under counter kitchen sink. Waste and overflow included.



Line drawing



KS-2134-G01

Product Information

Type: Kitchen sink with left / right drainer

Item code: KS-2134-G01

Material: Stainless steel 304

Dimension: 860 x 500 x 200 mm (Overall)
450 x 400 x 200 mm (Bowl)

Additional Details

Strainer: Stainless steel 304

Overflow hose: PE

Thickness: 0.8 mm

Overflow: 1


Finish: Satin

Guide specification:

Satin stainless steel drop-in kitchen sink with drainer. Waste and overflow included.



Line drawing



STEWART

Product Information

Type: Wall mounted urinal

Item code: WA-1049-G00 (Top inlet)
WA-1019-G00 (Back inlet)

Material: Vitreous china

Dimension: 445 x 375 x 590 mm

Additional Details

Trap: P-Trap

Outlet: 50 mm


Inlet: Back / Top

Guide specification:

Vitreous china wall mounted top / back inlet urinal with concealed fixings and integral trapway, suitable for WELS grade or flush valve.



Line drawing



BRISTOL

Product Information

Type: Wall mounted urinal

Item code: WA-1043-G00 (Top inlet)
WA-1023-G00 (Back inlet)

Material: Vitreous china

Dimension: 385 x 310 x 695 mm

Additional Details

Trap: P-Trap

Outlet: 50 mm


Inlet: Back / Top

Guide specification:

Vitreous china wall mounted top / back inlet urinal with concealed fixings and integral trapway, suitable for WELS grade or flush valve.



Line drawing



FALCON

Product Information

Type: Wall mounted urinal

Item code: WA-1025-G00 (Top inlet)
WA-1026-G00 (Back inlet)

Material: Vitreous china

Dimension: 335 x 310 x 545 mm

Additional Details

Trap: P-Trap

Outlet: 50 mm


Inlet: Back / Top

Guide specification:

Vitreous china wall mounted top / back inlet and back outlet urinal with concealed trapway and fixing. Suitable for children and disabled.



Line drawing



RIGA

Product Information

Type: Wall mounted urinal

Item code: WA-1038-G00 (Top inlet)
WA-1028-G00 (Back inlet)

Material: Vitreous china

Dimension: 370 x 415 x 695 mm

Additional Details

Trap: P-Trap

Outlet: 50 mm


Inlet: Back / Top

Guide specification:

Vitreous china wall mounted top / back inlet urinal with 50 mm urinal waste and bottle trap.



Line drawing



WA-SP-21

Product Information

Type: Urinal sensor flush valve

Item code: WA-SP-21

Material: Stainless steel 304

Dimension: 120 x 123 x 80 mm

Additional Details

Power: AC / DC / AC+DC

Sensing distance: 72 - 82 cm

Finish: Satin hairline


AC+DC version: Include AC adaptor with IP68

Guide specification:

Concealed stainless steel urinal sensor flush valve system with satin hairline front panel and vertical sensor eye. No cistern required.



Line drawing



WA-SP-31

Product Information

Type: Urinal sensor flush valve

Item code: WA-SP-31

Material: ABS (Frame)
Stainless steel (Panel)

Dimension: 115 x 115 x 80 mm

Additional Details


Power: AC / DC / AC+DC

Sensing distance: 72 - 82 cm


Finish: Matt Chrome

Guide specification:

Concealed ABS urinal sensor flush valve system with horizontal sensor eye. No cistern required.



Line drawing



WA-SP-32

Product Information

Type: Urinal sensor flush valve

Item code: WA-SP-32

Material: Stainless steel

Dimension: 120 x 123 x 80 mm

Additional Details

Power: AC / DC / AC+DC

Sensing distance: 72 - 82 cm

Finish: Satin hairline


AC+DC version: Include AC adaptor with IP68

Guide specification:

Concealed stainless steel urinal sensor flush valve system with satin hairline front panel and horizontal sensor eye. No cistern required.



Line drawing



WA-SP-34

Product Information

Type: Urinal sensor flush valve

Item code: WA-SP-34

Material: Brass

Dimension: 70 x 42 x 22 mm

Additional Details

Power: AC / DC

Sensing distance: 35 - 60 cm

Finish: Chrome plated


AC version: AC adaptor with IP68

Guide specification:

Concealed urinal sensor flush valve system with chrome plated brass front sensor eye. No cistern required.



Line drawing



WA-SP-33

Product Information

Type: Urinal divider

Item code: WA-SP-33

Material: Vitreous china

Dimension: 395 x 100 x 800 mm


Additional Details

Guide specification:

Vitreous china wall mounted urinal divider including fixing bolts set.



Line drawing



WA-SP-45

Product Information

Type: Urinal divider

Item code: WA-SP-45

Material: Vitreous china

Dimension: 440 x 80 x 820 mm


Additional Details


Guide specification:

Vitreous china wall mounted urinal divider including fixing bolts set.



Line drawing





Accessories

EA-4202-G00

Product Information

Type: Paper dispenser with lock

Item code: EA-4202-G00

Material: Stainless steel 304

Dimension: 282 x 365 x 102 mm

Additional Details

Capacity: 400 sheets

Thickness: 0.8 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted paper towel dispenser with 400 or 600 sheets capacity and volume indication window.



Line drawing



EA-4204-G00

Product Information

Type: Jumbo roll paper dispenser

Item code: EA-4204-G00

Material: Stainless steel 304

Dimension: 270 x 260 x 125 mm

Additional Details

Capacity: 1 jumbo roll

Roll dimension: 100 - 950 m / sheet,
300 m max. length

Core: 38 mm / 45 mm / 59 mm / 73 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted single jumbo roll toilet paper holder with volume indication window.



Line drawing



EA-4205-G00

Product Information

Type: Toilet roll paper dispenser

Item code: EA-4205-G00

Material: Stainless steel 304

Dimension: 140 x 160 x 250 mm

Additional Details

Capacity: 2 rolls

Roll dimension: 0.8 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted dual toilet paper holder with key-lock.



Line drawing



EA-4206-G00

Product Information

Type: Jumbo roll paper dispenser

Item code: EA-4206-G00

Material: ABS

Dimension: 270 x 95 x 270 mm

Additional Details

Capacity: 1 jumbo roll

Roll dimension: 100 - 950 m / sheet,
300 m max. length


Core: 73 mm

Guide specification:

Black transparent plastic wall mounted jumbo roll toilet paper holder.



Line drawing



EA-4207-G00

Product Information

Type: Center-pull paper towel dispenser

Item code: EA-4207-G00

Material: ABS

Dimension: 214 x 228 x 286 mm

Additional Details

Capacity: 1 jumbo roll

Roll dimension: 200 mm width, 210 mm diameter


Core: 45 mm

Guide specification:

Black ABS wall mounted centre-pull paper towel dispenser for jumbo roll paper towels.



Line drawing



EA-4209-G00

Product Information

Type: Paper towel Dispenser

Item code: EA-4209-G00

Material: ABS

Dimension: 270 x 85 x 375 mm

Additional Details


Capacity: 400 sheets

Guide specification:

ABS wall mounted paper towel dispenser with 400 sheets capacity.



Line drawing



EA-4210-G00

Product Information

Type: Paper towel Dispenser

Item code: EA-4210-G00

Material: ABS

Dimension: 251 x 90 x 205 mm

Additional Details


Capacity: 200 sheets

Guide specification:

ABS wall mounted paper towel dispenser with 200 sheets capacity.



Line drawing



EA-4216-G00

Product Information

Type: Paper towel dispenser

Item code: EA-4216-G00

Material: Stainless steel 304

Dimension: 252 x 95 x 280 mm

Additional Details

Capacity: 200 sheets

Thickness: 0.8 mm


Finish: Satin

Guide specification:

Satin stainless steel concealed paper towel dispenser with 200 sheets capacity.



Line drawing



EA-4227-G00

Product Information

Type: Center-pull paper towel Dispenser

Item code: EA-4227-G00

Material: Stainless steel 304

Dimension: 240 x 208 x 300 mm

Additional Details

Capacity: 1 jumbo roll

Roll dimension: 200 mm width,
210 mm diameter

Core: 45 mm

Thickness: 0.8 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted single jumbo roll toilet paper dispenser with volume indication window.



Line drawing



EA-4228-G00

Product Information

Type: Paper towel Dispenser

Item code: EA-4228-G00

Material: Stainless steel 304

Dimension: 280 x 100 x 365 mm

Additional Details

Capacity: 200 sheets

Thickness: 0.8 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted paper towel dispenser with 200 sheets capacity.



Line drawing



EA-8201-G00

Product Information

Type: Embedded paper dispenser unit

Item code: EA-8201-G00

Material: Stainless steel 304

Dimension: 1650 x 370 x 160 mm

Additional Details

Paper dispenser capacity: 200 sheets

Bin capacity: 19 L

Thickness: 0.8 mm

Finish: Satin


Optional: Hand dryer EA-1113

Guide specification:

Satin stainless steel fully recessed 3 in 1 combo paper dispenser unit with 200 sheets capacity and 19L waste receptacle, optional with hand dryer.



Line drawing



EA-8202-G00

Product Information

Type: Wall mounted paper dispenser unit

Item code: EA-8202-G00

Material: Stainless steel 304

Dimension: 1650 x 370 x 160 mm

Additional Details

Paper dispenser capacity: 200 sheets

Bin capacity: 19 L

Thickness: 0.8 mm

Finish: Satin


Optional: Hand dryer EA-1113

Guide specification:

Satin stainless steel wall mounted 3 in 1 combo paper dispenser unit with 200 sheets capacity and 19L waste receptacle, optional with hand dryer.



Line drawing



EA-8207-G00

Product Information

Type: Wall mounted paper dispenser unit

Item code: EA-8207-G00

Material: Stainless steel 304

Dimension: 300 x 100 x 750 mm

Additional Details

Paper dispenser capacity: 200 sheets

Bin capacity: 19 L

Thickness: 0.8 mm

Finish: Satin


Optional: Hand dryer EA-1113

Guide specification:

Satin stainless steel wall mounted 2 in 1 combo paper dispenser unit with 200 sheets capacity and 19L waste receptacle, optional with hand dryer.



Line drawing



EA-7201-G00

Product Information

Type: Paper holder

Item code: EA-7201-G00

Material: Stainless steel 304

Dimension: 185 x 115 x 100 mm

Additional Details

Capacity: 1 roll

Thickness: 0.8 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted single roll toilet paper holder with top shelf.



Line drawing



EA-7203-G00

Product Information

Type: Paper holder

Item code: EA-7203-G00

Material: Stainless steel 304

Dimension: 165 x 75 x 165 mm

Additional Details

Capacity: 1 roll

Thickness: 0.65 mm


Finish: Satin

Guide specification:

Satin stainless steel recessed single roll toilet paper holder with hinged cover.



Line drawing



EA-6201-G00

Product Information

Type: Soap dispenser

Item code: EA-6201-G00

Material: Stainless steel 304

Dimension: 202 x 66 x 122 mm

Additional Details

Capacity: 1000 ml

Type: Liquid

Thickness: 0.5 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted horizontal manual soap dispenser with 1L capacity. Volume indication window and key-lock included.



Line drawing



EA-6202-G00

Product Information

Type: Soap dispenser

Item code: EA-6202-G00

Material: Stainless steel 304

Dimension: 122 x 66 x 202 mm

Additional Details

Capacity: 1000 ml

Type: Liquid

Thickness: 0.5 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted vertical manual soap dispenser with 1L capacity. Volume indication window and key-lock included.



Line drawing



EA-6213-G00

Product Information

Type: Soap dispenser

Item code: EA-6213-G00

Material: Stainless steel 304

Dimension: 176 x 176 x 108 mm

Additional Details

Capacity: 1500 ml

Type: Liquid

Thickness: 0.8 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted vertical manual soap dispenser with 1.5L capacity and volume indication window.



Line drawing



EA-6204-G00

Product Information

Type: Soap dispenser

Item code: EA-6204-G00

Material: ABS

Dimension: 110 x 120 x 270 mm

Additional Details

Capacity: 1000 ml


Type: Liquid

Guide specification:

White ABS wall mounted manual soap dispenser with 1L capacity.



Line drawing



EA-6103-G00

Product Information

Type: Sensor soap dispenser

Item code: EA-6103-G00

Material: ABS

Dimension: 110 x 90 x 165 mm

Additional Details

Power: DC

Capacity: 1000 ml

Type: Liquid

Volume per drop: 1 ml


Sensing distance: 50 mm

Guide specification:

White ABS wall mounted DC operated soap dispenser with transparent tank and key-lock.



Line drawing



EA-6106-G00

Product Information

Type: Sensor soap dispenser

Item code: EA-6106-G00

Material: Brass

Dimension: 38 x 95 x 100 mm

Additional Details

Power: DC / AC / AC+DC

Working voltage: 4AA Battery or 220 V

Capacity: 1000 ml

Type: Liquid

Volume per drop: 1.5 - 2 ml

Sensing distance: 50 - 200 mm


Finish: Chrome plated

Guide specification:

Chrome plated brass deck mounted sensor soap dispenser with 1L plastic tank, 50 - 200 mm sensing distance, 1.5 ml per dose and powered by standard AC , DC or AC+DC upon request.



Line drawing



EA-6107-G00

Product Information

Type: Sensor soap dispenser

Item code: EA-6107-G00

Material: Brass

Dimension: 40 x 118 x 80 mm

Additional Details

Power: AC / DC / AC+DC

Working voltage: 220 V

Capacity: 1000 ml

Type: Liquid

Volume per drop: 1.5 - 2 ml

Sensing distance: 100 - 150 mm


Finish: Chrome plated

Guide specification:

Chrome plated brass deck mounted sensor liquid soap dispenser with 1L plastic tank, 100 - 150 mm sensing distance, 1.5 ml per dose, and powered by standard AC , DC or AC+DC upon request.



Line drawing



EA-6108-G00

Product Information

Type: Sensor soap dispenser

Item code: EA-6108-G00

Material: Brass

Dimension: 21 x 118 x 148 mm

Additional Details

Power: AC

Working voltage: 220 V

Capacity: 1000 ml

Type: Liquid

Volume per drop: 1.5 - 2 ml

Sensing distance: 100 - 150 mm


Finish: Chrome plated

Guide specification:

Chrome plated brass deck mounted sensor soap dispenser with 1L plastic tank, 100 - 150 mm sensing distance, 1.5 ml per dose, and powered by standard AC or DC upon request.



Line drawing



EA-6109-G00

Product Information

Type: Sensor soap dispenser

Item code: EA-6109-G00

Material: Brass

Dimension: 51 x 75 x 190 mm

Additional Details

Power: AC / DC

Working voltage: 220 V

Capacity: 1000 ml

Type: Liquid

Volume per drop: 1.5 - 2 ml

Sensing distance: 100 - 150 mm


Finish: Chrome plated

Guide specification:

Chrome plated brass wall mounted sensor soap dispenser with 1L plastic tank, 100 - 150 mm sensing distance, 1.5 ml per dose, and powered by standard AC or DC upon request.



Line drawing



EA-6113-G00

Product Information

Type: Sensor soap dispenser

Item code: EA-6113-G00

Material: Stainless steel 304

Dimension: 140 x 210 x 100 mm

Additional Details

Power: DC

Working voltage: 200 V

Capacity: 1200 ml

Type: Liquid

Volume per drop: 1 ml

Sensing distance: 80 - 110 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted sensor soap dispenser with 1.2L capacity, 80 - 110 mm sensing distance, 1 ml per dose, and powered by standard DC. Volume indication window included.



Line drawing



EA-6114-G00

Product Information

Type: Sensor soap dispenser

Item code: EA-6114-G00

Material: Stainless steel 304

Dimension: 100 x 112 x 217 mm

Additional Details

Power: DC

Working voltage: 9V battery

Capacity: 650 ml

Type: Liquid

Volume per drop: 0.8 - 6.5 ml (adjustable)

Sensing distance: 50 - 150 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted sensor soap dispenser with 650ml capacity, 50 - 150 mm sensing distance, adjustable volume per dose, and powered by standard DC. Volume indication window included.



Line drawing



EA-6117-G00

Product Information

Type: Sensor soap dispenser

Item code: EA-6117-G00

Material: ABS

Dimension: 160 x 117 x 285 mm

Additional Details

Power: AC / DC / AC+DC

Working voltage: 220 V

Capacity: 1000 ml

Type: Foam

Volume per drop: 1 ml


Sensing distance: 50 mm

Guide specification:

ABS wall mounted sensor soap dispenser with 1L capacity, 50 mm sensing distance, 1 ml per dose, and powered by standard AC , DC or AC+DC upon request. Volume indication window included.



Line drawing



EA-9201-G00

Product Information

Type: Hygiene bin

Item code: EA-9201-G00

Material: Stainless steel 304

Dimension: 400 x 300 x 556 mm

Additional Details

Capacity: 68 L

Thickness: 1 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted hygiene bin with 68L capacity.



Line drawing



EA-9204-G00

Product Information

Type: Napkin disposal

Item code: EA-9204-G00

Material: Stainless steel 304

Dimension: 235 x 282 x 101 mm

Additional Details

Capacity: 7 L

Thickness: 1 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted napkin disposal including cover with 7L capacity.



Line drawing



EA-9203-G00

Product Information

Type: Hygiene bin

Item code: EA-9203-G00

Material: Stainless steel 304

Dimension: 231 x 275 x 128 mm

Additional Details

Capacity: 7 L

Thickness: 1 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted hygiene bin with 7L capacity.



Line drawing



EA-9208-G00

Product Information

Type: Napkin disposal

Item code: EA-9208-G00

Material: Stainless steel 304

Dimension: 385 x 270 x 103 mm

Additional Details

Capacity: 1 L

Thickness: 0.8 mm


Finish: Satin

Guide specification:

Satin stainless steel wall mounted napkin disposal with 1L capacity.



Line drawing



EA-1103-G00

Product Information

Type: Hand dryer

Item code: EA-1103-G00

Material: ABS

Dimension: 270 x 142 x 240 mm

Additional Details

Power: AC

Working voltage: 220 V (50 Hz - 60 Hz)

Sensing distance: 12 +/- 3 cm

Motor speed: 2500 r.p.m

Motor power: 1800 W

Heat power: 700 W

Air speed: 22 m/s

Drying time: 8 - 12 s


Finish: Satin

Guide specification:

ABS wall mounted hand dryer with CE approval and 10 seconds drying time.



Line drawing



EA-1107-G00

Product Information

Type: Hand dryer

Item code: EA-1107-G00

Material: Aluminium Alloy

Dimension: 210 x 182 x 270 mm

Additional Details

Power: AC

Working voltage: 220 V

Sensing distance: 12 +/- 3 cm

Motor speed: 2500 r.p.m

Motor power: 550 W

Heat power: 700 W

Air speed: 80 m/s

Drying time: 8 - 12 s


Finish: Chrome plated

Guide specification:

Aluminium Alloy wall mounted hand dryer with CE approval and 10 seconds drying time.



Line drawing



EA-1108-G00

Product Information

Type: Hand dryer

Item code: EA-1108-G00

Material: ABS

Dimension: 145 x 130 x 250 mm

Additional Details

Power: AC

Working voltage: 220 V

Sensing distance: 12 - 14 cm

Motor speed: 2500 r.p.m

Motor power: 1000 W

Heat power: 800 W

Air speed: 14 m/s


Drying time: 10 - 15 s

Guide specification:

ABS wall mounted hand dryer with CE approval and 10 seconds drying time.



Line drawing



EA-1109-G00

Product Information

Type: Hand dryer

Item code: EA-1109-G00

Material: ABS

Dimension: 145 x 130 x 250 mm

Additional Details

Power: AC

Working voltage: 220 V

Sensing distance: 12 - 14 cm

Motor speed: 2000 r.p.m

Motor power: 1000 W

Heat power: 800 W

Air speed: 14 m/s


Drying time: 10 - 15 s

Guide specification:

ABS wall mounted hand dryer with CE approval and 10 seconds drying time.



Line drawing



EA-1110-G00

Product Information

Type: Hand dryer

Item code: EA-1110-G00

Material: Stainless steel 304

Dimension: 295 x 171 x 325 mm

Additional Details

Power: AC

Working voltage: 110 V - 220 V

Sensing distance: 12 +/- 3 cm

Motor speed: 2500 r.p.m

Motor power: 1800 W

Heat power: 700 W

Air speed: 80 m/s

Drying time: 8 - 12 s


Finish: Satin

Guide specification:

Satin stainless steel wall mounted hand dryer with CE approval and 10 seconds drying time.



Line drawing



EA-1113-G00

Product Information

Type: Hand dryer

Item code: EA-1113-G00

Material: Stainless steel 304

Dimension: 262 x 228 x 140 mm

Additional Details

Power: AC

Working voltage: 220 V

Sensing distance: 8 +/- 15 cm

Motor speed: 2500 r.p.m

Motor power: 2300 W

Heat power: 700 W

Air speed: 31 m/s

Drying time: 8 - 12 s


Finish: Satin

Guide specification:

Satin stainless steel wall mounted hand dryer with CE approval and 8 seconds dry time.



Line drawing



EA-1114-G00

Product Information

Type: Hand dryer

Item code: EA-1114-G00

Material: ABS

Dimension: 300 x 215 x 700 mm

Additional Details

Power: AC

Working voltage: 110 V - 220 V

Motor speed: 1850 r.p.m

Motor power: 700 W

Air speed: 95 m/s


Drying time: 7 - 10 s

Guide specification:

ABS vertically wall mounted, high speed hand dryer with HEPA filter, heat element, and LED indication of drying time and maintenance. Bottom water tank for easy daily cleaning enhances hygiene level and CE approved.



Line drawing



AC-BC-001

Product Information

Type: Baby changing station

Item code: AC-BC-001

Material: HDPE

Dimension: 855 x 560 x 495 mm (Open)
855 x 560 x 107 mm (Close)

Additional Details

Model: Horizontal


Equipment: Safety belt

Guide specification:

Creamy white hygiene HDPE horizontally wall mounted foldable baby changing station with safety belt, paper dispensers, hand-bag hooks.



Line drawing



AC-BC-002

Product Information

Type: Baby changing station

Item code: AC-BC-002

Material: HDPE

Dimension: 855 x 585 x 495 mm (Open)
855 x 585 x 107 mm (Close)

Additional Details

Model: Horizontal


Equipment: Safety belt

Guide specification:

Creamy white hygiene HDPE horizontally wall mounted foldable baby changing station with safety belt, paper dispensers, hand-bag hooks.



Line drawing



AC-BC-003

Product Information

Type: Child protection seat

Item code: AC-BC-003

Material: HDPE

Dimension: 510 x 340 x 328 mm (Open)
510 x 340 x 145 mm (Close)

Additional Details

Model: Vertical


Equipment: Safety belt

Guide specification:

Creamy white hygiene HDPE wall mounted foldable child protection seat with seat belt.



Line drawing



AC-4924-G00

Product Information

Type: Hook

Item code: AC-4924-G00

Material: Brass

Dimension: ϕ 53 x 51 mm


Additional Details

Guide specification:

Chrome plated brass wall mounted single towel hook with 51 mm projection and 53 mm diameter wall flange.



Line drawing



AC-DS-001

Product Information

Type: Hook with door stopper

Item code: AC-DS-001

Material: Zinc

Dimension: $\phi 40$ x 88 mm

Additional Details


Finish: Satin

Guide specification:

Satin zinc wall / door mounted single towel / cloth hook with black rubber stopper, 88 mm projection and 40 mm diameter.



Line drawing



AC-DS-002

Product Information

Type: Hook with door stopper

Item code: AC-DS-002

Material: Stainless steel 304

Dimension: 34 x 98 x 63 mm

Additional Details


Finish: Satin


Guide specification:

Satin stainless steel wall / door mounted single towel / cloth hook with white rubber stopper, 98 mm projection and 34 mm diameter.



Line drawing





Health Care

GB-1104-G00-600

Product Information

Type: Wall mounted grab rail

Item code: GB-1104-G00-600

Material: Stainless steel 304

Dimension: $\phi 32 \times 600$ mm

Additional Details

Loading: 150 kg


Thickness: 1 mm

Guide specification:

Stainless steel wall mounted grab rail with round flange.



Line drawing



GB-1701-G00-600

Product Information

Type: Wall mounted grab rail with raised dot pattern

Item code: GB-1701-G00-600

Material: Stainless steel + Nylon

Dimension: $\phi 35 \times 600$ mm

Additional Details

Loading: 200 kg


Thickness: 1 mm

Guide specification:

Nylon coated stainless steel wall mounted grab rail with round flange.



Line drawing



GB-2107-G00-750

Product Information

Type: Wall mounted folding grab rail

Item code: GB-2107-G00-750

Material: Stainless steel 304

Dimension: $\phi 32 \times 750 \times 206$ mm

Additional Details

Loading: 150 kg


Thickness: 1 mm

Guide specification:

Stainless steel wall mounted folding grab rail with rectangular flange.



Line drawing



GB-2701-G00-750

Product Information

Type: Wall mounted folding grab rail with raised dot pattern

Item code: GB-2701-G00-750

Material: Stainless steel + Nylon

Dimension: $\phi 35 \times 750 \times 100$ mm

Additional Details

Loading: 200 kg


Thickness: 1 mm

Guide specification:

Stainless steel wall mounted folding grab rail with rectangular flange.



Line drawing



MR-3201-G00-SS

Product Information

Type: Tilting vanity mirror

Item code: MR-3201-G00-SS

Material: Stainless steel 304

Dimension: 500 x 236 x 700 mm

Additional Details


Angle: 8° with adjustable hinge

Guide specification:

Satin stainless steel wall mounted 8° tilting glass mirror with adjustable angle hinge.



Line drawing



MR-3202-G00-SS

Product Information

Type: Tilting vanity mirror

Item code: MR-3202-G00-SS

Material: Stainless steel 304

Dimension: 710 x 76 x 800 mm

Additional Details


Others: Includes two solid brass mounting brackets

Guide specification:

Satin stainless steel wall mounted tilting glass mirror with two chrome plated solid brass mounting brackets on both sides.



Line drawing



MR-4201-G00

Product Information

Type: Stainless steel vanity mirror

Item code: MR-4201-G00

Mirror material: Stainless steel 304 with mirror finish

Dimension: 400 x 610 x 61 mm

Additional Details


Angle: 8° with adjustable hinge

Guide specification:

Mirrored stainless steel wall mounted 8° tilting metal mirror with adjustable angle hinge.



Line drawing



Contact us

26 York Street
London W1U, 6PZ
United Kingdom

info@emsa.co.uk
www.emsa.co.uk



EMSA

www.emsa.co.uk

info@emsa.co.uk